

To: Estep, Rebecca[Estep.Rebecca@epa.gov]
Cc: Tapp, Joshua[Tapp.Joshua@epa.gov]; Harris, Diane E.[Harris.Dianee@epa.gov]; Barker, Justin[barker.justin@epa.gov]; Hooper, Charles A.[Hooper.CharlesA@epa.gov]; Juett, Lynn[Juett.Lynn@epa.gov]; Stoy, Alyse[Stoy.Alyse@epa.gov]; Washburn, Ben[washburn.ben@epa.gov]
From: Mahler, Tom
Sent: Thur 12/22/2016 5:16:38 PM
Subject: FW: Revision 1 Draft
Appendix B - Daily Response Check.pdf
QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site - Rev 01 DRAFT.doc

Tetra Tech and I are finished edited the QAPP per the draft comments we received last Tuesday.

I have attached a revised draft in word version so that you can begin your review.

Tetra Tech is working now to have this draft edited for formatting only and will attempt to get official signatures today. I will sign as soon as a sign copy from Tetra Tech is provided and provide that to your group when available.

Thanks for your help with this QAPP and let me know if there are any questions,

Tom

From: Monnig, Rob [mailto:rob.monnig@tetrattech.com]
Sent: Thursday, December 22, 2016 10:58 AM
To: Mahler, Tom <mahler.tom@epa.gov>
Subject: Revision 1 Draft

Rob Monnig, PE | Chemical Engineer

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information.
Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful.
If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.